


## Label Printer Enclosure DS316(x)



### Enclosure Sizes

Printer Width" + Depth" + Height"		
≤ 29"	≤ 40"	> 41"
DS316S	DS316M	DS316L

### Color Options



- NEMA 12 Protection
- Impact / Heat / Corrosion Resistant
- 3/8" Industrial Construction
- Filters 98% of Airborne Contaminants
- RF Equipment Compatibility
- Large Access Doors, Cable Ports
- No Assembly
- Made in the USA
- Post-industrial Recyclable

### Materials:

Constructed of 3/8" thick Industrial Plastic for maximum structural stability. Industrial Plastics are Impact Resistant, Heat Resistant, Corrosion Resistant, RF Equipment Compatible, Post-Industrial Recyclable and have been approved by the FDA for food production environments. For all these advantages, Industrial Plastic enclosures are significantly more cost effective than steel enclosures.

### Manufacturer's Warranty:

Limited warranty - parts and labor - 5 years

### What's in the Box:

DustShield™ enclosures arrive completely assembled and factory floor ready. Optional bases and cabinets are shipped mounted together with enclosure. Delivered with one DS512 Heavy-Duty Particulate Filter.

### Place an Order Today

Visit [www.dustshield.com](http://www.dustshield.com) to configure your enclosure or call (800) 587-9557 to speak with an Enclosure Specialist.



DustShield™ safeguards computers in every industry. Minimize downtime with production floor protection for your mission critical hardware.

For more details visit <https://www.dustshield.com/catalog/ds316/>

## Customizing Enclosures to Your Production Environment

We've made selecting and configuring your enclosures as simple as possible. However, if all the customizations were included for the many types of customers and industries, you might never find what you need. Use these Bases / Mounts and Upgrades as a starting point and contact us if we can better fit your DustShield™ to your needs.

## Standard Bases & Mounting

Bases create a secure, space-saving, stable workstation protected against production environmental hazards.



Workstation Base Cabinet



Base Table



Wall Mount

## DustShield™ Upgrades

Your production environment is unique. We've tailored enclosures to customer's specialized requirements since 1993. The most common and useful of these customizations have become DustShield™ Upgrades.



### Ingress Protection Upgrade

Protect against heavy airborne particulates & water falling from the top or sprayed down sides.



### Power Upgrade

Manage power distribution and cabling inside enclosure.



### Security Upgrade

Add a lock to an existing door. Ideal for high traffic production areas, storing blank checks, sensitive documentation or tools.



### Monitor Size Upgrade

Increase enclosure size to accommodate virtually any monitor size.



### HVAC Upgrade

Keep computers operational in temperatures up to 150 F. All HVAC units also include heating.



### Touch Screen Upgrade

Modify a standard enclosure to accommodate a Touch Screen Monitor.



### Heating Upgrade

Keep your equipment at operational temperatures in the coldest of environments



### Digital Temperature Display

Monitor the enclosure's internal temperature.

Each of our customers have unique production environments with specific needs. Whatever your needs are, our full service production environment enables us to enhance any standard DustShield™ enclosure to meet your specific needs.


For more details visit <https://www.dustshield.com/catalog/ds316/>

# Label Printer Enclosure DS316(x)

Company:

Contact:

**Ensure your equipment's fit.** Submit a measuring guide for each unique enclosure. A complete listing of measuring guides is available at <https://www.dustshield.com/dustshield-downloads>.


- Label Printer Make
- Label Printer Model
- 1** Printer Height (inches)
- 2** Printer Width (inches)
- 3** Printer Depth (inches)


- 4** Height to Label Outlet (inches)
- 5** Width of the Label Outlet (inches)
- 6** Left Side of Printer to Left Side of Label Outlet (inches)
- 7** Distance from Left Side to Top-Left Side of Hinged Door (inches)

**Confirm your measurements and submit Measuring Guides.**

Email to [customerservice1@amprod.us](mailto:customerservice1@amprod.us) or fax to (417) 736-9873. Questions? Just call us (800) 587-9557.

For more details visit <https://www.dustshield.com/catalog/ds316/>